

Ms. Kasey Ashley NCRWQCB 5550 Skylane Blvd, Ste A Santa Rosa, CA 95403

June 15, 2006

Workplan for Soil Stockpile Sampling (McKinelyville Site)
Beaver Lumber Company (former)
1220 Fifth Street
Arcata, California
Case No. 1NHU001

Dear Ms. Ashley,

This workplan is submitted by Blue Rock Environmental, Inc. (Blue Rock), on behalf of Mr. Bradford C. Floyd, in response to the North Coast Regional Water Quality Control Board (NCRWQCB) letter dated December 23, 2005. In that letter, the NCRWQCB recommended conducting soil leachability testing on the stockpiled soil and required sampling of the native soil below the stockpile.

A detailed background of site conditions can be found in Blue Rock's *Closure Summary* dated April 7, 2006.

Workplan for Soil Stockpile TPHmo Leachability Testing

Purpose

The goal of the work proposed below is to evaluate soil disposal options for the stockpiled soil generated from the Beaver Lumber site with motor oil contaminants. Blue Rock proposes to achieve this goal by sampling 10 percent of the locations sampled on Figure 1.

Soil Sampling Activities

Discrete soil samples will be collected at a depth of approximately 3 to 4 feet into the stockpiled soil using a clean shovel at nine locations shown in Figure 2.

Soil samples will then be collected in appropriate containers, labeled, documented on a chain-ofcustody form, and placed on ice in a cooler for transport to the project laboratory.

A California DHS-certified laboratory will analyze the soil samples for the following:

- TPHmo using EPA Method 8015M (with silica-gel clean-up)
- California Waste Extraction Test (WET/DI) (neutral pH)
- TPHmo using EPA Method 8015M (with silica-gel clean-up) on the WET/DI extract

Between sampling locations, excavating tools and sampling devices will be cleaned in an Alconox® wash followed by double rinse in clean tap water to prevent cross-contamination. Rinseate will be stored in labeled 55-gallon drums on-site pending removal and disposal.

Proposed Schedule

Blue Rock desires to complete the proposed scope of work in early July 2006. The report summarizing the results will follow 15 days after field activities.

Proposed Reporting

Blue Rock will prepare a brief letter report summarizing the sampling results. The report will be supported by data presented in tabular and graphical form. The report will provide recommendations, as appropriate, and it will be prepared under the supervision of, and sealed by, a California Professional Geologist at Blue Rock.

Workplan for Soil Interface Testing

Purpose

The goal of the work proposed below is to determine if motor oil contaminants have leached out of the soil stockpile generated from the Beaver Lumber site into the surface soil below the stockpiles. Blue Rock proposes to achieve this goal by sampling 10 percent of the locations sampled on Figure 1.

Soil Sampling Activities

Discrete soil samples will be collected from soil underlying the stockpiles. These samples will be collected at a depth of approximately 1 foot below the contact of the overlying soil stockpile and native soil surface using a clean shovel at nine locations shown in Figure 2.

Soil samples will then be collected in appropriate containers, labeled, documented on a chain-ofcustody form, and placed on ice in a cooler for transport to the project laboratory.

A California DHS-certified laboratory will analyze the soil samples for the following:

- TPHmo using EPA Method 8015M (with silica-gel clean-up)
- California Waste Extraction Test (WET/DI) (neutral pH)
- TPHmo using EPA Method 8015M (with silica-gel clean-up) on the WET/DI extract

Between sampling locations, excavating tools and sampling devices will be cleaned in an Alconox® wash followed by double rinse in clean tap water to prevent cross-contamination. Rinseate will be stored in labeled 55-gallon drums on-site pending removal and disposal.

Workplan for Soil Stockpile Sampling Former Beaver Lumber Company June 15, 2006 Page 3 of 5

Proposed Schedule

Blue Rock will complete the proposed scope of work upon completion of soil stockpile disposal activities. It is anticipated that this activities will be completed by August 2006. The report summarizing the results will follow 15 days after field activities.

Proposed Reporting

Blue Rock will prepare a brief letter report summarizing the soil interface sampling results. The report will be supported by data presented in tabular and graphical form. The report will provide recommendations, as appropriate, and it will be prepared under the supervision of, and sealed by, a California Professional Geologist at Blue Rock.

Certification

This workplan was prepared under the supervision of a California Professional Geologist at Blue Rock. All statements, conclusions, and recommendations are based upon published results from past consultants, field observations by Blue Rock, and analyses performed by a state-certified laboratory as they relate to the time, location, and depth of points sampled by Blue Rock. Interpretation of data, including spatial distribution and temporal trends, are based on commonly used geologic and scientific principles. It is possible that interpretations, conclusions, and recommendations presented in this report may change, as additional data become available and/or regulations change.

Information and interpretation presented herein are for the sole use of the client and regulating agency. The information and interpretation contained in this document should not be relied upon by a third party.

The service performed by Blue Rock has been conducted in a manner consistent with the level of care and skill ordinarily exercised by members of our profession currently practicing under similar conditions in the area of the site. No other warranty, expressed or implied, is made.

If you have any questions regarding this project, please contact us at (707) 441-1934.

Sincerely,

Blue Rock Environmental, Inc.

Prepared by:

Scott Ferriman Project Scientist

Sattet

Reviewed by:

Brian Gwinn, PG Principal Geologist

Workplan for Soil Stockpile Sampling Former Beaver Lumber Company June 15, 2006 Page 5 of 5

Attachments:

Table 1: Soil Stockpile Analytical Results

Table 2: Soil Stockpile Analytical Results (Metals)

Figure 1: TPHmo Distribution Map

Figure 2: Proposed Soil Sample Location Map

Distribution:

Mr. Bradford C. Floyd 819 Seventh Street Eureka, CA 95501

Table 1 SOIL STOCKPILE ANALYTICAL RESULTS

Former Beaver Lumber Company 1220 Fifth St., Arcata, California Blue Rock Project No. NC-1

Sample ID	Sample Description	Sample Date	O and G (mg/kg)	TPHmo (mg/kg)	TPHmo* (mg/kg)	TPHd (mg/kg)	TPHd* (mg/kg)	TPHg (mg/kg)	B (mg/kg)	T (mg/kg)	E (mg/kg)	X (mg/kg)	MTBE (mg/kg)	PCP (mg/kg)	TCP (mg/kg)
1	sand, gravel, silty clay	9/22/98	l			<1	_					_		_	
2	sand, gravel, silty clay	9/22/98				3.2									
3	sand, gravel, silty clay	9/22/98	180			5.5								<1	<1
4	sand, gravel, silty clay	9/22/98				3.7									
5	sand, gravel, silty clay	10/13/98		63	47	6.7	4.7	<1	< 0.005	0.012	< 0.005	< 0.01	< 0.05	<1	<1
6	sand, gravel, silty clay	10/13/98		110	71	16	12	<1	< 0.005	0.025	< 0.005	< 0.01	< 0.05		
7	sand,gravel,clay, woodwaste	100000000000000000000000000000000000000		710	600	27	26	<1	< 0.005	0.02	< 0.005	< 0.01	< 0.05	<1	<1
8	sand, gravel, silty clay	10/13/98													
9	sand, gravel, silty clay	10/13/98		53	50	5.2	4.6	<1	< 0.005	0.0087	< 0.005	< 0.01	< 0.05	<1	<1
10	silty clay	10/13/98		14	13	<1	<1	<1	< 0.005	< 0.005	< 0.005	< 0.01	< 0.05	<1	<1
#1	sand, gravel, silty clay	8/21/00	-	100		5.7									
#2	sand, gravel, silty clay	8/21/00		390		21								-	
S1-1	sand, gravel, silty clay	11/11/05	-		100		52								
S1-2	sand, gravel, silty clay	11/11/05			170		43								
S1-3	sand, gravel, silty clay	11/11/05			180		84				**	**			**
S1-4	sand, gravel, silty clay	11/11/05		**	150		64								
S1-5	sand, gravel, silty clay	11/11/05		**	88		52		**						
S1-6	sand, gravel, silty clay	11/11/05			180		72		-	**			**		
S1-7	sand, gravel, silty clay	11/11/05			130		60								
S1-8	sand, gravel, silty clay	11/11/05			260		67								
S1-9	sand, gravel, silty clay	11/11/05			250		110								
S1-10	sand, gravel, silty clay	11/11/05			300		140			**			**		<1
S1-11	sand, gravel, silty clay	11/11/05			73		41				**	**			
S1-12	sand, gravel, silty clay	11/11/05			84		46								
S1-13	sand, gravel, silty clay	11/11/05		**	120		55	**							
S1-14	sand, gravel, silty clay	11/11/05			100		30					**			
S1-15	sand, gravel, silty clay	11/11/05			200		47			**			**	**	<1
S1-16	sand, gravel, silty clay	11/11/05			160		68							**	**
S1-17	sand, gravel, silty clay	11/11/05			150		64								
S1-18	sand, gravel, silty clay	11/11/05			160		38								
S1-19	sand, gravel, silty clay	11/11/05			120		33								
S1-20	sand, gravel, silty clay	11/11/05			170		73				**				
S1-21	sand, gravel, silty clay	11/11/05			210		54			***					<1
S1-22	sand, gravel, silty clay	11/11/05			92		28								
S1-23	sand, gravel, silty clay	11/11/05	**		74		38								
S1-24	sand, gravel, silty clay	11/11/05			310		63	**							
S1-25	sand, gravel, silty clay	11/11/05			120	**	51			**			**		**

Table 1 SOIL STOCKPILE ANALYTICAL RESULTS

Former Beaver Lumber Company 1220 Fifth St., Arcata, California Blue Rock Project No. NC-1

			O and G	TPHmo	TPHmo*	TPHd	TPHd*	TPHg	В	T	E	X	MTBE	PCP	TCP
Sample ID	Sample Description	Sample Date	(mg/kg)												
61.26	sand, gravel, silty clay	11/11/05	l		100	-	50								
S1-26		11/11/05	-		170		44		-						
S1-27	sand, gravel, silty clay	11/11/05		-	130	_	57				_				
S1-28	sand, gravel, silty clay	11/11/05		-	90		63						-		
S1-29	sand, gravel, silty clay				220	-	51								
S1-30	sand, gravel, silty clay	11/11/05	-	-	140		60								
S1-31	sand, gravel, silty clay	11/11/05	-				34								
S1-32	sand, gravel, silty clay	11/11/05	-	-	120							-			
S1-33	sand, gravel, silty clay	11/11/05	-		240		100					-			<1
S1-34	sand, gravel, silty clay	11/11/05		**	130	-	60	-	-		-			-	
S1-35	sand, gravel, silty clay	11/11/05			240	-	97		-			_	77	-	-
S1-36	sand, gravel, silty clay	11/11/05			150	-	38	**	-	-					-
S1-37	sand, gravel, silty clay	11/11/05			130	-	71			-				-	
S1-38	sand, gravel, silty clay	11/11/05			320		140							_	<1
S1-39	sand, gravel, silty clay	11/11/05			110		58				-			-	
S1-40	sand, gravel, silty clay	11/11/05			89		42				-		***		
S1-41	sand, gravel, silty clay	11/11/05			290		110	-			-		**		
S1-42	sand, gravel, silty clay	11/11/05	-		500		100				-				-
S1-43	sand, gravel, silty clay	11/11/05	-		270		53						-		
S1-44	sand, gravel, silty clay	11/11/05			200		76	**					-		-
S1-45	sand, gravel, silty clay	11/11/05		-	330		96								
S1-46	sand, gravel, silty clay	11/11/05			240		72	-							
S1-47	sand, gravel, silty clay	11/11/05		**	320		98	-							
S1-48	sand, gravel, silty clay	11/11/05			170		44								
S2-1	sand, gravel, silty clay	11/11/05			460		180			24					
S2-2	sand, gravel, silty clay	11/11/05			450		180								
S2-3	sand, gravel, silty clay	11/11/05			730		310					-			
S2-4	sand, gravel, silty clay	11/11/05			760		280								
S2-5	sand, gravel, silty clay	11/11/05			790		290								
S2-6	sand, gravel, silty clay	11/11/05			630		260								
S2-7	sand, gravel, silty clay	11/11/05			440		170			44					
S2-8	sand, gravel, silty clay	11/11/05			670		280							**	<1
S2-9	sand, gravel, silty clay	11/11/05			330		140								
S2-10	sand, gravel, silty clay	11/11/05			540		210								
S2-11	sand, gravel, silty clay	11/11/05			600		240					**			
S2-11	sand, gravel, silty clay	11/11/05			510		98								
S2-12 S2-13	sand, gravel, silty clay sand, gravel, silty clay	11/11/05	-		680		150								
S2-13 S2-14	sand, gravel, silty clay	11/11/05			880		260					***			
S2-14 S2-15	sand, gravel, silty clay sand, gravel, silty clay	11/11/05		-	900		190								
777.00		11/11/05			600		240	_			-				
S2-16	sand, gravel, silty clay	11/11/05	-	-	000		240		1750	7					

Table 1 SOIL STOCKPILE ANALYTICAL RESULTS

Former Beaver Lumber Company 1220 Fifth St., Arcata, California Blue Rock Project No. NC-1

Sample ID	Sample Description	Sample Date	O and G (mg/kg)	TPHmo (mg/kg)	TPHmo* (mg/kg)	TPHd (mg/kg)	TPHd* (mg/kg)	TPHg (mg/kg)	B (mg/kg)	T (mg/kg)	E (mg/kg)	X (mg/kg)	MTBE (mg/kg)	PCP (mg/kg)	TCP (mg/kg)
S2-17	sand, gravel, silty clay	11/11/05		**	850		290	**		**					
S2-18	sand, gravel, silty clay	11/11/05			640		250								
S2-19	sand, gravel, silty clay	11/11/05			540		210								
S2-20	sand, gravel, silty clay	11/11/05			600		250								<1
S2-21	sand, gravel, silty clay	11/11/05			740		140				_				
S2-22	sand, gravel, silty clay	11/11/05			600		200				**				
S2-23	sand, gravel, silty clay	11/11/05			400		160								
S2-24	sand, gravel, silty clay	11/11/05			770		300						-	**	
S2-25	sand, gravel, silty clay	11/11/05			580		210	**							
S2-26	sand, gravel, silty clay	11/11/05			380		200								
S3-1	sand, gravel, silty clay	11/11/05			680		250					**			
S3-2	sand, gravel, silty clay	11/11/05			540		190								
- S3-3	sand, gravel, silty clay	11/11/05			910		330								
S3-4	sand, gravel, silty clay	11/11/05			720		270								
S3-5	sand, gravel, silty clay	11/11/05			760		290					***			
S3-6	sand, gravel, silty clay	11/11/05			610		220								<1
S3-7	sand, gravel, silty clay	11/11/05			620		220								
S3-8	sand, gravel, silty clay	11/11/05		**	700	**	240								
S3-9	sand, gravel, silty clay	11/11/05			610		200			**					
S3-10	sand, gravel, silty clay	11/11/05			550		210								

Notes

mg/kg = milligrams per kilogram

<###; Not detected above the method detection limit as shown

O and G: Total hydrocarbon oil and grease by Standard Method 5520 EF

TPHmo: Total petroleum hydrocarbons as motor oil by EPA Method 3550/8015M

TPHmo*: Total petroleum hydrocarbons as motor oil with silica gel cleanup by EPA Method 3550/8015M

TPHd: Total petroleum hydrocarbons as diesel by EPA Method 3550/8015M

TPHd*: Total petroleum hydrocarbons as diesel with silica gel cleanup by EPA Method 3550/8015M

TPHg: Total petroleum hydrocarbons as gasoline by EPA Method 5030/8015M

BTEX: Benzene, toluene, ethylbenzene, total xylenes by EPA Method 8020

MTBE: Methyl tertiary butyl ether by EPA 8020

PCP: Pentachlorophenol by Canadian pulp method

TCP: Tetrachlorophenol by Canadian Pulp Method

"--" Not analyzed, available or applicable

Table 2 SOIL STOCKPILE ANALYTICAL RESULTS (METALS)

Former Beaver Lumber Company 1220 Fifth St., Arcata, California Blue Rock Project No. NC-1

Sample ID	Sample Description	Sample Date	Sb (mg/kg)	As (mg/kg)	Ba (mg/kg)	Be (mg/kg)	Cd (mg/kg)	Cr (mg/kg)	Co (mg/kg)	Cu (mg/kg)	Pb (mg/kg)	Hg (mg/kg)	Mo (mg/kg)	Ni (mg/kg)	Se (mg/kg)	Ag (mg/kg)	TI (mg/kg)	V (mg/kg)	Zn (mg/kg)
1	sand, gravel, silty clay	9/22/98		_				-	-		-							-	-
2	sand, gravel, silty clay	9/22/98				-			-		**		-	-					-
3	sand, gravel, silty clay	9/22/98				-				-									
4	sand, gravel, silty clay	9/22/98		_															
5	sand, gravel, silty clay	10/13/98	ND	ND	140	ND	ND	62	11	24	ND	ND	ND	66	ND	ND	ND	39	63
6	sand, gravel, silty clay	10/13/98								-	-			-	-				
7	sand,gravel,clay, woodwaste	10/13/98	ND	ND	170	ND	ND	42	ND	25	ND	ND	ND	50	ND	ND	ND	35	54
8	sand, gravel, silty clay	10/13/98																-	
9	sand, gravel, silty clay	10/13/98	ND	ND	120	ND	ND	57	11	22	ND	ND	ND	69	ND	ND	ND	37	65
10	silty clay	10/13/98	ND	ND	170	ND	ND	79	14	27	ND	ND	ND	92	ND	ND	ND	42	71

Notes

mg/kg = milligrams per kilogram

ND: Not detected above the method detection limit

Sb: Antimony by EPA Method 7000 series

As: Arsenic by EPA Method 7000 series

Ba: Barium by EPA Method 7000 series

Be: Beryllium by EPA Method 7000 series

Cd: Cadmium by EPA Method 7000 series

Cr: Total Chromium by EPA Method 7000 series

Co: Cobalt by EPA Method 7000 series

Cu: Copper by EPA Method 7000 series

Pb: Lead by EPA Method 7000 series

Hg: Mercury by EPA Method 7000 series

Mo: Molybdenum by EPA Method 7000 series

Ni: Nickel by EPA Method 7000 series

Se: Selenium by EPA Method 7000 series

Ag: Silver by EPA Method 7000 series

TI: Thallium by EPA Method 7000 series

V: Vanadium by EPA Method 7000 series

Zn: Zinc by EPA Method 7000 series



